UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/723,283	11/26/2003	Henna Fabritius	915-007.061	5576
	7590 01/25/200 OLA VAN DER SLUY	EXAMINER		
BRADFORD GREEN, BUILDING 5			LEE, JINHEE J	
755 MAIN STREET, P O BOX 224 MONROE, CT 06468			ART UNIT	PAPER NUMBER
,			2174	
			MAIL DATE	DELIVERY MODE
			01/25/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)					
Office Asticus Occurrence		10/723,283	FABRITIUS, HE	FABRITIUS, HENNA				
Office Action Summa	Examiner	Art Unit						
		Jinhee J. Lee	2174					
The MAILING DATE of this co Period for Reply	ommunication app	ears on the cover sh	eet with the correspondence	address				
A SHORTENED STATUTORY PER WHICHEVER IS LONGER, FROM - Extensions of time may be available under the pafter SIX (6) MONTHS from the mailing date of - If NO period for reply is specified above, the ma - Failure to reply within the set or extended period Any reply received by the Office later than three earned patent term adjustment. See 37 CFR 1.	THE MAILING DA provisions of 37 CFR 1.13 this communication. ximum statutory period w d for reply will, by statute, months after the mailing	ATE OF THIS COMN 66(a). In no event, however, rill apply and will expire SIX (cause the application to bed	MUNICATION. may a reply be timely filed 6) MONTHS from the mailing date of this come ABANDONED (35 U.S.C. § 133).					
Status								
1) Responsive to communication	n(s) filed on <i>07 De</i>	ecember 2007						
2a) ☐ This action is FINAL .	· · ·	action is non-final.						
3)☐ Since this application is in co	<i>'</i> —		I matters prosecution as to t	he merits is				
closed in accordance with the		•	•					
Disposition of Claims	•		,					
·	e pending in the s	application						
· · · · · · · · · · · · · · · · · · ·	Claim(s) 1-12 and 14-29 is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
·	5)∭ Claim(s) is/are allowed. 6)⊠ Claim(s) <u>1-12 and 14-29</u> is/are rejected.							
7) Claim(s) 1-12 and 14-23 is/ar	=							
8) Claim(s) are subject to		election requiremen	ot					
oj Ciaiii(s) are subject to	restriction and/or	election requiremen	it.					
Application Papers								
9)☐ The specification is objected to	o by the Examine	r.						
10)☐ The drawing(s) filed on	is/are: a)∏ acce	epted or b) 🔲 object	ed to by the Examiner.					
Applicant may not request that a	ny objection to the o	drawing(s) be held in a	beyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) in	ncluding the correcti	on is required if the dr	awing(s) is objected to. See 37	CFR 1.121(d).				
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority under 35 U.S.C. § 119								
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 								
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing R 3) Information Disclosure Statement(s) (PTO-Paper No(s)/Mail Date 1107.		Pap 5) D Noti	rview Summary (PTO-413) er No(s)/Mail Date ice of Informal Patent Application er:					

DETAILED ACTION

Election/Restrictions

Claim Rejections - 35 USC § 101

1. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

2. Claim 14 is rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

The basic of this rejection is set forth in a two-prong test of:

- (1) whether the invention is within the technology arts; and
- (2) whether the invention produces a useful, concrete, and tangible result.

Re claim 14, claim 14 fails to fall within a statutory category of invention. It is directed to a program itself, not a process occurring as a result of executing the program, a machine programmed to operate in accordance with the program nor a manufacture structurally and functionally interconnected with the program in a manner which enables the program to act as a computer component and realize its functionality. It is also clearly not directed to a composition of matter. Therefore, it is non-statutory under 32 USC 101.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4. Claims 1-12 and 14-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsai (2003/0184525).

Re claim 1, Tsai discloses a method for changing an orientation of a User Interface, comprising: detecting a course of motion that is performed on said user interface, and changing said orientation of said user interface with respect to a physical device said user interface is integrated in according to said detected course of motion, wherein said user interface is a touch screen display, and wherein said orientation of said touch screen display is changed by rotating the complete display and input control logic (see abstract and figures 2a-2c for example). Tsai does not explicitly disclose displaying an input control logic (dragging element as explained by the applicant) on said user interface. However, Tsai teaches of a rotating an image on the display by touching the panel and dragging across guadrants to rotate (see paragraphs 0019 to 0021 for example). Tsia also teaches of image being on the display (see figures 2a-2c for example). It would have been obvious to one having ordinary skill in the art at the time the invention was made to use drag the hat of the snowman image of Tsai and use it as a dragging element or input control logic in order to display an input control logic (an element to drag) to rotate the snowman image on the display.

Re claim 2, note that Tsai discloses a method, wherein said course of motion is performed on said user interface via a user interface interaction device (see abstract).

Re claim 3, note that Tsai discloses a method, wherein said user interface is a touch-screen display and wherein said user interface interaction device is a touching device (see abstract and figures 2a-2c for example).

Re claim 4, note that Tsai discloses a method, wherein said user interface interaction device is a device that controls the movement of an element on said user interface (see abstract and figures 2a-2c for example).

Re claim 5, note that Tsai discloses a method, wherein said course of motion is performed on said user interface by dragging an element that is displayed on said user interface (see abstract and figures 2a-2c could drag the hat of the snowman for example) .

Re claim 6, note that Tsai discloses a method, wherein said element is located near an edge of the user interface. (See abstract and figures 2a-2c, hat is near the top edge in figure 2a for example)

Re claim 7, note that Tsai discloses a method, wherein said course of motion is performed on said user interface by drawing a gesture on said user interface (see abstract and figures 2a-2c for example).

Re claim 8, note that Tsai discloses a method, wherein said gesture is a circle of a part thereof (see abstract and figures 2a-2c for example).

Re claim 9, note that Tsai discloses a method, wherein said detected course of motion is visualized on said user interface (see abstract and figures 2a-2c for example).

Re claim 10, note that Tsai discloses a method, wherein said orientation of said user interface is changed by 90.degree, 180.degree. or 270.degree. with respect to the device said user interface is integrated in (see abstract and paragraph 0023 for example).

Re claim 11, note that Tsai discloses a method, wherein images that are displayed on said user interface are transformed and/or re-scaled according to said changed orientation (see abstract and figures 2a-2c for example).

Re claim 12, note that Tsai discloses a method, wherein said user interface is integrated in a hand-held device, in particular a mobile phone or a Personal Digital Assistant (see abstract and paragraph 0019).

Re claim 14, note that Tsai discloses a computer program product stored on a data processing readable medium, the computer program product comprising a computer program with instructions operable to cause a processor to perform the method of claim 1 (see abstract and paragraph 0020 for example).

Re claim 15, Tsai discloses a device for changing an orientation of a user interface, comprising: a detector for detecting a course of motion that is performed on said user interface, and a processor and controller for changing said orientation of said user interface with respect to a physical device said user interface is integrated in accordance to said detected course of motion, wherein said user interface is a touch screen display, and wherein said orientation of said touch screen display is changed by rotating the complete display and input control logic (see abstract and figures 2a-2c for example). Tsai does not explicitly disclose displaying an input control logic (dragging element as explained by the applicant) on said user interface. However, Tsai teaches of a rotating an image on the display by touching the panel and dragging across quadrants to rotate (see paragraphs 0019 to 0021 for example). Tsia also teaches of image being on the display (see figures 2a-2c for example). It would have been obvious

to one having ordinary skill in the art at the time the invention was made to use drag the hat of the snowman image of Tsai and use it as a dragging element or input control logic in order to display an input control logic (an element to drag) to rotate the snowman image on the display.

Page 6

Re claim 16, note that Tsai discloses a device, wherein said device for changing an orientation of said user interface is integrated in a hand-held device, in particular a mobile phone or a Personal Digital Assistant (see abstract and paragraph 0019 for example).

Re claim 17, note that Tsai discloses a device, comprising: at least one user interface.

Re claim 18, note that Tsai discloses a device, further comprising a user interface interaction device, via which said course of motion is performed on said at least one user interface (see abstract and figures 2a-2c for example).

Re claim 19, note that Tsai discloses a device, wherein said at least one user interface is a touch-screen display and wherein said user interface interaction device is a touching device (see abstract and figures 2a-2c for example).

Re claim 20, note that Tsai discloses a device, wherein said user interface interaction device is a device that controls the movement of an element on said at least one user interface (see abstract and figures 2a-2c for example).

Re claim 21, note that Tsai discloses a device, wherein said course of motion is performed on said at least one user interface by dragging an element that is displayed on said at least one user interface (see abstract and figures 2a-2c for example).

Re claim 22, note that Tsai discloses a device, wherein said course of motion is performed on said at least one user interface by drawing a gesture on said at least one user interface (see abstract and figures 2a-2c for example).

Re claim 23, note that Tsai discloses a device, further comprising means for visualizing said detected course of motion on said at least one user interface (see abstract and figures 2a-2c for example).

Re claim 24, note that Tsai discloses a device, wherein said orientation of said at least one user interface is changed by 90.degree., 180.degree. or 270.degree. with respect to said mobile phone (see abstract and paragraph 0023 for example).

Re claim 25, note that Tsai discloses a device, further comprising means for transforming and/or re-scaling images that are displayed on said at least one user interface according to said changed orientation (see abstract and figures 2a-2c for example).

Re claim 26, Tsai discloses a device for changing an orientation of a user interface, comprising:

means for detecting a course of motion that is performed on said user interface, and means for changing said orientation of said user interface with respect to a physical device said user interface is integrated in accordance to said detected course of motion, wherein said user interface is a touch screen display, and wherein said orientation of said touch screen display is changed by rotating the complete display and input control logic (See abstract, paragraphs 0019, 0020 and figures 2a-2c for example). Tsai does not explicitly disclose means for displaying an input control logic (dragging element as

explained by the applicant) on said user interface. However, Tsai teaches of a rotating an image on the display by touching the panel and dragging across quadrants to rotate (see paragraphs 0019 to 0021 for example). Tsia also teaches of image being on the display (see figures 2a-2c for example). It would have been obvious to one having ordinary skill in the art at the time the invention was made to use drag the hat of the snowman image of Tsai and use it as a dragging element or input control logic in order to display an input control logic (an element to drag) to rotate the snowman image on the display.

Re claims 27, 28 and 29, note that Tsai discloses a device or a method, wherein said course of motion is performed on said user interface by at least one of dragging an element that is displayed on said user interface and drawing a gesture on said user interface (see figures 2a - 2c for example).

Response to Arguments

5. Applicant's arguments with respect to claims 1-12, 14-29 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jinhee J. Lee whose telephone number is 571-272-1977. The examiner can normally be reached on M-F at 8:30AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wiley can be reached on 571-272-2100 ext. 74. The fax phone

Application/Control Number: 10/723,283 Page 9

Art Unit: 2174

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jinhee J Lee/ Primary Examiner, Art Unit 2174

jjΙ